SPECIAL MEETING OCTOBER 16, 2017

Be it remembered that on this the 16th day of October A.D. 2017, there came on to be held a Special meeting of the Commissioners' Court, and the Court having convened in Special session at the usual meeting place thereof at the Courthouse in Levelland, Texas, with the following members present to-wit:

Sharla Baldridge	County Judge
Curtis D. Thrash	Commissioner Precinct No. 1
Larry Carter	Commissioner Precinct No. 2
J. L. "Whitey" Barnett	Commissioner Precinct No. 3
Thomas R "Tommy" Clevenger	Commissioner Precinct No. 4

Irene Gumula, County Clerk, and Ex-Officio Clerk of Commissioners' Court when the following proceedings were had, to-wit:

Motion by Commissioner Barnett, seconded by Commissioner Thrash, 4 Votes Yes, 0 Votes No, that the Minutes of a Regular meeting of the Commissioners' Court, held on October 2, 2017, A. D., be approved and stand as read.

Motion by Commissioner Carter, seconded by Commissioner Clevenger, 4 Votes Yes, 0 Votes No, that all monthly claims and bills, submitted to the Court, and dated through October 16, A. D. 2017, be approved and stand as read.

Hear update from Texas A & M AgriLife Extension agents. Discussion only.

Hear update from Hockley County 4-H. Discussion only.

Motion by Commissioner Clevenger, seconded by Commissioner Thrash, 4 Votes Yes, 0 Votes No, that Commissioners' Court approve the 2018 Hockley County Resolution Indigent Defense Grant Program, as per Resolution recorded below.

2018 Hockley County Resolution Indigent Defense Grant Program

WHEREAS, under the provisions of the Texas Government Code Section 79.037 and Texas Administrative Code Chapter 173, counties are eligible to receive grants from the Texas Indigent Defense Commission to provide improvements in indigent defense services in the county; and

WHEREAS, this grant program will assist the county in the implementation and the improvement of the indigent criminal defense services in this county; and

WHEREAS, Hockley County Commissioners Court has agreed that in the event of loss or misuse of the funds, Hockley County Commissioners assures that the funds will be returned in full to the Texas Indigent Defense Commission.

NOW THEREFORE, BE IT RESOLVED and ordered that the County Judge of this county is designated as the Authorized Official to apply for, accept, decline, modify, or cancel the grant application for the Indigent Defense Formula Grant Program and all other necessary documents to accept said grant; and

BE IT FURTHER RESOLVED that the County Auditor is designated as the Financial Officer for this grant.

Adopted this the day of dover, 2017.

Attest:

Arene Sumula by Janie Salazar County Clerk

VOL. 65 PAGE 797

TO COUNTY TO

Motion Commissioner Carter, seconded by Commissioner Barnett, 4 Votes Yes, 0 Votes No, that Commissioners' Court grant permission and authority to Centurion Pipeline L.P. on Wildcat Road in Precinct 2, to lay, construct, operate and maintain (1)-6" pipeline transporting Condensate under and across certain county roads, situated in Commissioners' Precinct No. 2, Hockley County, Texas, as set forth in the below recorded Petition, Exhibit and Order of the Court.

RECORD, PETITION, EXHIBIT AND ORDER OF THE COURT

BEFORE THE HONORABLE BOARD OF COUNTY COMMISSIONERS HOCKLEY COUNTY, TEXAS

IN THE MATTER OF THE APPLICATION OF <u>Centucian Pipeline L.P.</u> FOR AUTHORITY TO USE A PART OF THE PUBLIC ROADS OF HOCKLEY COUNTY, TEXAS

PETITION

Comes now, the Petitioner, <u>Centurion Pipeline L.P.</u>, and petitions this Honorable Board for the right and authority to lay, construct, operate and maintain <u>O-6"</u> pipelines under and across certain county roads situated in Hockley County, Texas, which said pipelines are to be used for the purpose of transporting <u>Condensate</u> from the Petitioner's sources of supply to Petitioner's markets.


The location of the points at which Petitioner wishes to undercross said county roads with said pipelines and the general specifications are more particularly described on a map marked Exhibit "A" and general specifications marked Exhibit "B", all of which are attached hereto and made a part of this application. Petitioner represents and states that if granted the authority herein requested, it will conform with and abide by the rules of all persons and bodies having jurisdiction and by the following conditions:

- The Petitioner shall, in constructing said pipelines undercrossings cause the very minimum of
 inconvenience and obstruction of public travel along said roads, and, further, shall operate and
 maintain said pipelines undercrossings in a manner so as not to inconvenience, endanger or
 obstruct public travel along said roads.
- 2. Upon the completion of each pipelines undercrossing constructed hereunder Petitioner shall immediately backfill, re-construct and replace the portions of the roads across which said pipelines are laid and constructed so that such roads shall be in equally as good a condition as prior to such construction.
- 3. So long as said pipelines are maintained and operated under said roads Petitioner shall be responsible for doing any work which, due to the existence of said pipelines undercrossings, needs to be done on said roads at the location thereof, all in order to maintain said roads, at such points, in a condition equal to other portions of said county roads.
- 4. Should Petitioner remove said pipelines from any of said roads, it will replace and recondition the road concerned, at the location of said removal, in substantially the same condition as it was prior to such removal, all liability of Petitioner for the maintenance and reconditioning of such roads shall cease as soon after such removal as the COUNTY OF HOCKLEY has approved the maintenance and reconditioning work done by Petitioner.
- 5. Petitioner agrees that if at any time the County of Hockley shall deem it necessary to make any improvements or changes on all of or any part of the right of way of the county roads which affect the Utility as located under this order, then and in such event, the Petitioner or his Assignee shall make such reasonable changes of its facilities located within such right of way as may be deemed necessary, such work to be done without cost to Hockley County, Texas.
- The construction or laying of said pipelines by Petitioner hereunder shall be considered and shall constitute and acceptance of this order and of all of the terms and conditions herein set forth.
- 7. Petitioner agrees that if at any time the County of Hockley deems it necessary that these crossings be encased in accordance with the then existing State Highway specifications, Petitioner agrees to do so at its own expense.

Wherefore, your Petitioner respectfully prays that your Honorable Board enter and order herein authorizing Petitioner to use and occupy the portions of the roads in Hockley County, Texas, more particularly herein above set out and described and at the locations shown and set out in said Exhibits "A" and "B" attached to this application.

DATED this 27th day of September, 2017.

VOL. 65 PAGE 799



September 27, 2017

Larry Carter 802 Houston Street, Suite 101 Levelland, TX 79336

Dear Mr. Carter,

Centurion Pipeline L.P. ("Centurion") is applying for a permit to cross Wildcat Road in Hockley County, Texas, with a 6" steel pipeline. Centurion will be paralleling an existing pipeline with 10' separation between the existing and proposed new pipeline. The existing pipeline crosses Wildcat Road at less than a 90 degree angle and Centurion would like to continue paralleling the existing line and cross Wildcat Road via boring method at the same angle as the existing pipeline.

Respectfully,

Ryan McReynolds

Sr. Landman/ROW Agent

Tya Milynoss

Office: 713-513-6653





MGP TO MALLET CONNECTION PIPELINE

AFE NO. 1207769
HOCKLEY COUNTY, TEXAS
ISSUED FOR CONSTRUCTION
DATE 08-22-2017

CPL-056T-14-001

VOL. 65 PAGE 801

@Centurion F	Pipel	ine L.P.	Facility	SLAUGHTER GA STATIO	S PLANT TO IN PIPELIN		Rev.				- (MGP TO MALLE		08/22/17	Rev by	Checked by	Har Man
CPL-056T-14	-002	Rev 0	MG	P to Mallet	Connecti											
MASTER DRA			Check JN Appr & Di	Date	06/28/17											
ORM:CP-EN-FRM-000-0048 (REV 3)																
Bakelin Buch																
DRAWING NO.		1 1 2 2 3	TITLE	1 1 2 mg			\ <u>`</u> ``~	DRAWING,	NO: 🛬	, REV	इन्हर्क १८	32, T	TLE'		3	ISSUE DATE
CPL-056T-14-001	0	ICOVER SHEET				08/22/17				1						
CPL-056T-14-002	0	MASTER DRAWING	INDEX			08/22/17	<u> </u>									
		ALIGNMENT SHEE	TE				ļ				·					
CPL-056-06T-001	0	ALIGNMENT SHEET		0 TO STN. 116+6	00	08/22/17	i			 	 					
CPL-056-06T-002		ALIGNMENT SHEET				08/22/17				1	1					
										-						
		TYPICAL DETAILS								I						
CPL-056T-11-001	0	DETAIL - A - 75' PIPI				08/22/17										
CPL-056T-11-002	0	DETAIL - B&C - 75' F			NG SIDE	08/22/17										
CPL-056T-11-003	0	ROAD R/W CROSSIN		TYP. OPEN CUT		08/22/17										
CPL-056T-11-004	0	ROAD CROSSING TY				08/22/17				1	1					1
CPL-056T-11-005	0	FOREIGN PIPELINE				. 08/22/17	l									
CPL-056T-11-006	0	DETAIL - D - 100' PI				08/22/17				1						
CPL-056T-11-007	0	BORE HOLE DETAIL			CROSSING	08/22/17	ļ									
CPL-000-0518	O	FOREIGN PIPELINE				INFO										
CPL-000-556	0	CATHODIC PROTECT				INFO					L					
CPL-000-557	. 0	CATHODIC PROTECTION		INE CROSSING TES	T STN. TYPE 2	INFO				1			***			
PROPERTY SKETCH	В	PROPOSED 50' P/L E	ASEMENT			INFO					1					l
		i														
					٠						l					
							l									
		1								l						
		, '								į						
						,				1	1					
							1									
		·								ļ						
· · · · · · · · · · · · · · · · ·											ļ 					
										ļ	<u> </u>					
										1						
										L						
										L						
:		!														


CPL-056T-14-002_DRAWING INDEX_Staughter to Maile

22/08/2017

10(1


CDUCAL HOTES I N MEDICAL HOTES	A THE STATE OF THE	TO COOK AND THE CO	SOLE FROUETION & LANGERY SOLE FOUNDERS OF PLANT TO MALET STATION SALVERIER CAS PLANT TO BULLET STATION FROM STATE COMPT. TO BULLET STATION FROM STATION STA
Duck on 188 rise UK Chapter on Part	AND RESPONDED TO THE PARTY OF T	BECIN 2LY 0+00	
Martin Control of the	STATE OF THE STATE	S. S. ELL.	The control of the co
Trachetta Trachetta d d	SHOP DATES STORE (DE COME STORE STORE (DE COME STORE COME COME COME COME COME COME COME COM		
Section (Control of Control of Co	DNINOTIATZ ZHLIZGIG DNINOTIATZ ZHLIZGIG STATE A MACHINE STATE STA	SEE OWG, NO, CPL-056-067-002	THE STATE OF THE S

A CASE LICENS AREA BY A CASE SAVE A CASE S	1. TOTAL LOSS WE REPLACED TO PRICE AND TO PR	A STARROW STARLY DE SERVICIONE STARLY DE SERVICIONE STARLY DE SERVICIONE STARLY DE SERVICIONE SERVI	Fig. makes 5 AL NO GROBATION (ASSESSED IN PROPERTY OF THE PROP	DOG 841 840 200 — X — 1 — X — 1 — X — 1 — X — 1 — X — 1 — X — X	SOUL, PROTOTORI & IMACETY TO T	Sulucific os Punt to Mules sinon sulucific os Punt to Mules sinon sulucific os sulucific sulucif
90-411 MER 7	000 NOON 10-01	00+911 VIS	ZEE DING NO	19-0 19-0 19-0 19-0 19-0 19-0 19-0 19-0	2000 €111 2000 €	100 100 100 100 100 100 100 100 100 100
AN HOLOTOMA OF THE PROPERTY OF	28+31 EXEMPT MADINE 3 FOR YEAR 18-41 YOURS BOND FOREY, OR, OR, OR, OR, OR, OR, OR, OR, OR, OR			200 1 10-00 1	H-HELD 200	20 C C C C C C C C C C C C C C C C C C C
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	18 JUN C C RULL 18 38 JUN C C C C C C C C C C C C C C C C C C C			Section of the sectio	Erent @ E	14 Per 1 Sea Del Construction - (ACP To Build
Tracentum in Proceedings (1994) in Party in Part	Devid of Canal, or Devid of Canal, or Devid of Canal, or Can				e į je	Per A. P
100 100 100 100 100 100 100 100 100 100	TOTAL DOWN CATCAL THE WORLD BOWN CATCAL THE WORLD BY A CHYMNOL THE WORLD BY BOTH CHYMNOL TH			100 1 100 100 100 100 100 100 100 100 1	#+##1.@ #+##1.@ #+##1.@ #+##1.@	MITTAL STANDARD AND AND AND AND AND AND AND AND AND AN
us b ts Y s	NINOLIYES ZEVIJONIK	. ZZ2+40	UNJ	The state of the s	30 V 10 V	DIVERSION TO DESCRIPTION OF THE PROPERTY OF TH



- CONSTRUCTION RIGHT-OF-WAY WILL TYPICALLY BE 75 FEET WIDE, CONSISTING OF 25 FEET OF PERMANENT EASEMENT AND 50 FEET OF TEMPORARY WORKSPACE. FURTHER, ADDITIONAL TEMPORARY WORKSPACE (ATWS) WILL BE NECESSARY FOR HORIZONTAL DIRECTIONAL DRILL INSTALLATIONS AND AT ROAD, RAIL AND RIVER CROSSINGS AND OTHER SPECIAL CIRCUMSTANCES, AS REQUIRED. CERTAIN SITUATIONS MAY REQUIRE A NARROWER WIDTH.
 LEAVE GAPS IN SPOIL PILES AT KNOWN DRAINAGE LOCATIONS, UTILIZING PROPERLY INSTALLED BEST MANAGEMENT PRACTICES TO PREVENT SEDIMENTATION. UPLAND SOILS SHALL NOT BE PLACED IN CANALS OR WETLANDS.
 DITCH LINE TOPSOIL IN ALL JURISDICTIONAL WETLANDS, JURISDICTIONAL CROSSINGS, AND IN ALL AGRICULTURAL AREAS.
- 4. SEE ALIGNMENT SHEETS FOR ACTUAL ROW CONFIGURATION.


	DWG. NO.		REFERENCE DRAWINGS	Ţ	ENGINE	_			@Contunion Din	oline I D		
	PERTY SKE LP-056-06T-0		PROPOSED 50' P/L EASEMENT ALIGNMENT SHEET	DRN:	100		DRN: JBB 06-30-17			@Centurion Pipe	Bline L.P.	_
-			ACOMMENT SHEET	APP;	DH	- +	06-30-17		DETAIL -	^		
				APP: CLIENT APP:		7			75' PIPELINE RIGHT	-OF-WAY		
NO.	DATE		REVISIONS	BY	CXTD.	APP.	DATE	FORTRESS	RIGHT - WORKIN	G SIDE		
٥	08-22-17	IFC -	(MGP TO MALLET CONN.)	7	Jw.	ļЦ		ENGINEERING LTD				
								CLIENT PROJECT NO.	DWG. NO.	DEPT: PIPELINE	REV.	
								CENTURION AFE NO.	CPL-056T-11-001	SCALE: NONE	7 0	




- CONSTRUCTION RIGHT-OF-WAY WILL TYPICALLY BE 75 FEET WIDE, CONSISTING OF 25 FEET OF PERMANENT
 EASEMENT AND 50 FEET OF TEMPORARY WORKSPACE. FURTHER, ADDITIONAL TEMPORARY WORKSPACE (ATWS) WILL
 BE NECESSARY FOR HORIZONTAL DIRECTIONAL DRILL INSTALLATIONS AND AT ROAD, RAIL AND RIVER CROSSINGS
 AND OTHER SPECIAL CIRCUMSTANCES, AS REQUIRED. CERTAIN SITUATIONS MAY REQUIRE A NARROWER WIDTH.
 LEAVE GAPS IN SPOIL PILES AT KNOWN DRAINAGE LOCATIONS, UTILIZING PROPERLY INSTALLED BEST MANAGEMENT
 PRACTICES TO PREVENT SEDIMENTATION. UPLAND SOILS SHALL NOT BE PLACED IN CANALS OR WETLANDS.
 DITCH LINE TOPSOIL IN ALL JURISDICTIONAL WETLANDS, JURISDICTIONAL CROSSINGS, AND IN ALL AGRICULTURAL
 AREAS.

- 4. SEE ALIGNMENT SHEETS FOR ACTUAL ROW CONFIGURATION.

	DWG. NO.		REFERENCE DRAWINGS	T	ENGINE	ERING F	ECORD		6	
PRO	PERTY SKE	тсн	PROPOSED 50' P/L EASEMENT	DRN:	JBS	3	06-30-17		Centurion Pip	<u>eline L.P. </u>
CF	L-056-06T-0	01	ALIGNMENT SHEET	CHK:	JSN	1	06-30-17	╽╶┠┰┸┰┸┰┨		
CF	L-056-06T-0	02	ALIGNMENT SHEET	APP:	DH		06-30-17	╽┸┰┸┰┸┪	Detail — B	& C
				APP:						
				CLIENT APP					75' PIPELINE RIGHT RIGHT — WORKIN	
NO,	DATE		REVISIONS	BY	CITO.	APP.	DATE	FORTRESS	KIGHT - #OKKII	IG SIDE
0	08-22-17	IFC -	(MGP TO MALLET CONN.)	1	Jan	山		ENSINEERING LTD		
				T				CLIENT PROJECT NO.	DWG. NO.	DEPT: PIPELINE
							1	CENTURION AFE NO.	CPL-056T-11-002	SCALE: NONE







GENERAL NOTES:

- 1. IF MULTIPLE MINIMUM DEPTH STANDARDS EXIST, ALL MINIMUMS MUST BE MET.
- 2. PIPELINE INSTALLED UNDER CODE: TITLE 49, PART 195 CFR, df PER RESPECTIVE ALIGNMENT MAP.
- 3. FOR PIPELINE DESIGN DATA, REFER TO RESPECTIVE ALIGNMENT MAP.

	DWG. NO. PL-056-06T-0 PL-056-06T-0		DRN:	ENGINE DO	\Box	07-27-17		@Centurion Pipe	eline L.P.	_
5	1-030-061-0	02 ALIGNMENT SHEET	APP:	JB		07-27-17 07-27-17		DETAIL		
жо.	DATE	REVISIONS	CLIENT APP:	CXTD.	APP.	DATE	FORTRESS	ROAD R/W CROSSING TYPICAL OPEN	CUT	
0	08-22-17	IFC - (MGP TO MALLET CONN.)	- F			DATE	ENGINEERING LTD	HOCKLEY COUNTY		
H							17037 CENTURION AFE NO. 1207769	DWG. NO. CPL-056T-11-003	DEPT: CIVIL SCALE: NONE	REV.






GENERAL NOTES:


- 1. IF MULTIPLE MINIMUM DEPTH STANDARDS EXIST, ALL MINIMUMS MUST BE MET.
- 2. PIPELINE INSTALLED UNDER CODE: TITLE 49, PART 195 CFR, df PER RESPECTIVE ALIGNMENT MAP.
- 3. FOR PIPELINE DESIGN DATA, REFER TO RESPECTIVE ALIGNMENT MAP.

CI	DWG. NO. PL-056-06T-0	01	REFERENCE DRAWINGS ALIGNMENT SHEET	DRN:	ENGINE DQ	_	ECORD 07-27-17		@Centurion Pip	eline L.P.	
CI	PL-056-06T-0	02	ALIGNMENT SHEET	CHK	JB	1	07-27-17	$\int_{\mathcal{T}} d\mathbf{r} d\mathbf{r} d\mathbf{r}$			<u> </u>
				APP: APP: CLIENT APP:	DH	+	07-27-17		DETAIL ROAD CROSS		
NO.	DATE		REVISIONS	BY	CKD.	APP.	DATE	FORTRESS	TYPICAL BO HOCKLEY COUNTY		
0	08-22-17	IFC -	(MGP TO MALLET CONN.)	B	المكار	βļ	-	CUENT PROJECT NO. 17037	DWG. NO.	DEPT: CIVIL	REV.
								CENTURION AFE NO. 1207769	CPL-056T-11-004	SCALE: NONE	7 0




- TYPE CP-2 CATHODIC PROTECTION TEST STATION SHALL BE INSTALLED AT FOREIGN PIPELINE CROSSINGS, WHEN INDICATED ON THE ALIGNMENT SHEETS.
- 2. MAINTAIN 24" MINIMUM CLEARANCE WHEN CROSSING OVER OR UNDER FOREIGN PIPELINES.
- 3. 6" PIPELINE TO BE PLACED ABOVE, IF FOREIGN PIPELINE OR UTILITY IS BURIED AT DEPTH SUCH. THAT 24" SEPARATION AND MINIMUM 48" COVER IS MAINTAINED OVER 6" LINE, OTHERWISE 6" PIPELINE TO BE PLACED UNDER FOREIGN PIPELINE OR UTILITY.
- 4. SANDBAGS CONSIST OF BURLAP BAGS FILLED WITH EARTH THAT IS FREE OF SHARP ROCKS, TWIGS, AND OTHER OBJECTIONABLE MATERIALS (TOP SOIL SHALL NOT BE USED). USE OF SYNTHETIC MATERIALS FOR BAGS IS NOT ACCEPTABLE.


L_	DWG. NO.		REFERENCE DRAWINGS		ENGINE	FRING R	ECORD				
	PL-056-06T-0	01 ALI	GNMENT SHEET	DRN:	DQ	П	07-27-17		@Centurion Pipe	aline L.P.	_
	PL-056-08T-0	02 ALI	GNMENT SHEET	CHK:	JB		07-27-17				<u> </u>
				APP:	DH		07-27-17		UNDERGROUND	DETAIL	
				APP:							
				CLIENT APP.		\top		ه الساسان	FOREIGN PIPEL		
NO.	DATE		REVISIONS	BY	CKD.	APP,	DATE	FORTRESS	OR UTILITY CROS HOCKLEY COUNTY.		
0	08-22-17	IFC - (MGP	TO MALLET CONN.)	T	M	j.j.		ENGINEERING LTD	TIOCKEET COOMIT,	ILANO	
								CLIENT PROJECT NO. 17037	DWG. NO.	DEPT: CIVIL	REV.
								CENTURION AFE NO. 1207769	CPL-056T-11-005	SCALE: NONE] 0




- CONSTRUCTION RIGHT—OF—WAY WILL TYPICALLY BE 100 FEET WIDE, CONSISTING OF 50 FEET OF PERMANENT EASEMENT AND 50 FEET OF TEMPORARY WORKSPACE. FURTHER, ADDITIONAL TEMPORARY WORKSPACE (ATWS) WILL BE NECESSARY FOR HORIZONTAL DIRECTIONAL DRILL INSTALLATIONS AND AT ROAD, RAIL AND RIVER CROSSINGS AND OTHER SPECIAL CIRCUMSTANCES, AS REQUIRED. CERTAIN SITUATIONS MAY REQUIRE A NARROWER WIDTH.
 LEAVE GAPS IN SPOIL PILES AT KNOWN DRAINAGE LOCATIONS, UTILIZING PROPERLY INSTALLED BEST MANAGEMENT PRACTICES TO PREVENT SEDIMENTATION. UPLAND SOILS SHALL NOT BE PLACED IN CANALS OR WETLANDS.
 DITCH LINE TOPSOIL IN ALL JURISDICTIONAL WETLANDS, JURISDICTIONAL CROSSINGS, AND IN ALL AGRICULTURAL AREAS.
- 4. SEE ALIGNMENT SHEETS FOR ACTUAL ROW CONFIGURATION.

PRO	DWG. NO.	REFERENCE DRAWINGS TCH PROPOSED 50' P/L EASEMEN	IT DRN:	ENGINEERING RECORD DRN: DQ 08-08-17				©Centurion Pipeline L.P.				
CF	PL-056-06T-0	002 ALIGNMENT SHEET	CHK:	JSN DM	-	08-08-17 08-08-17				<u> </u>		
			APP:		+	00-00-17		DETAIL - 100' PIPELINE RIG RIGHT - WORK	HT-OF-WAY			
NO.	DATE	REVISIONS	BY	CXTD.	APP.	DATE	FORTRESS	RIGHT - WORK	ING SIDE			
G	08-22-17	IFC - (MGP TO MALLET CONN.)	T	, _SM	Al		CLIENT PROJECT NO.	DWG. NO.	DEPT: PIPELINE	RE		
				┼	\vdash		CENTURION AFE NO.	CPL-056T-11-006	SCALE: NONE			






VOL. 65 PAGE 842 --



- 1. INSTALL TEST STATIONS AS INDICATED ON ALIGNMENT SHEETS.
- 2. ALL WIRE CONNECTIONS TO CARRIER PIPE SHALL BE IN ACCORDANCE WITH STANDARDS.
- 3. ALL WIRE CONNECTIONS TO CARRIER PIPE SHALL BE COATED IN ACCORDANCE WITH ENTERPRISE STD. 7002 PROTECTIVE COATINGS BELOW GROUND STEEL SURFACES FIELD APPLIED.
- 4. LOOP AND HITCH LEAD WIRES AROUND PIPE.

For Information

	DWG. NO.	REFER	ENCE DRAWINGS		ENGINEERING RECORD		RECORD		@Oti Dii' I D						
L_				DRN.	DRN. JP 7/14/14				© Centurion Pipeline L.P.						
				CHK:	K: AB 7/21/14		CHK: AB 7/21/14		CHK: AB 7/21/14		CHK: AB 7/21/14]			
				APP:]	DETAIL						
				APP:		Т]		CTANDADD					
				CLIENT APP:		\top		1	CATHODIC PROTECTION						
NO.	DATE	REVI	SIONS	BY	CKD.	APP.	DATE]	SINGLE POINT TEST STA	MON TIPE I					
				T				1							
				T			1	CLIENT PROJECT NO.	DWG. NO.	DEPT: CIVIL	REV.				
							1	CENTURION AFE NO.	CPL-000-556	SCALE: NONE	0				




- 1. INSTALL TEST STATIONS AS INDICATED ON ALIGNMENT SHEETS AND AS DESIGNATED BY COMPANY.
- 2. ALL WIRE CONNECTIONS TO CARRIER PIPE SHALL BE MADE IN ACCORDANCE WITH ENTERPRISE CP7 ATTACHING CATHODIC PROTECTION CONDUCTORS.
- 3. ALL WIRE CONNECTIONS TO CARRIER PIPE SHALL BE COATED IN ACCORDANCE WITH STANDARDS.
- 4. ALL WIRE CONNECTIONS TO FOREIGN PIPELINE SHALL BE AS SPECIFIED BY FOREIGN PIPELINE COMPANY'S AUTHORIZED REPRESENTATIVE.
- 5. LOOP AND HITCH LEAD WIRES AROUND PIPE.
- 6. TEST STATION SHALL BE LOCATED AT CLOSEST PROPERTY OR FENCE LINE. IF TEST STATION LOCATION IS OVER 50 FEET FROM THE PIPELINE CROSSING, ATTACH BLACK WIRES TO CARRIER PIPE AT THE TEST STATION LOCATION. WHITE WIRES TO FOREIGN PIPELINE SHALL ALWAYS BE ATTACHED AT PIPELINE CROSSING.
- 7. FOR TEST STATIONS REQUIRING TEST LEAD WIRES LONGER THAN 60 FT., ADDITIONAL WIRE SHALL BE PROVIDED. NO SPLICES WILL BE ALLOWED.
- 8. LEAVE #8 WIRES LOOSE IN TEST HEAD WITH TAPE.

For Information

	DWG. NO.		REFERENCE DRAWINGS		ENGINE	ERING R	ECORD							
				DRN:	DRN: JP 7/14/14			DRN: JP 7/14/14				@Centurion Pipe	eline L.P.	
				CHK:	AB		7/21/14				-			
				APP:	RLT				DETAIL					
				APP:		\neg				OTION				
				CLIENT APP:					CATHODIC PROTECTION		D C 0			
NO.	DATE		REVISIONS	BY	CKD.	APP.	DATE		FOREIGN PIPELINE CROSSING	1531 31N. 111	PE 2			
										_				
								CUENT PROJECT NO.	DWG. NO.	DEPT: CIVIL	REV.			
							1	CENTURION AFE NO.	CPL-000-557	SCALE: NONE	1 0			





BEFORE THE HONORABLE BOARD OF COUNTY COMMISSIONERS HOCKLEY COUNTY, TEXAS

IN THE MATTER OF THE APPLICATION OF <u>CENTURION PIPELINE LP</u> FOR AUTHORITY TO USE A PART OF THE PUBLIC ROADS OF HOCKLEY COUNTY, TEXAS

ORDER

This cause coming on to be upon the petition of <u>CENTURION PIPELINE LP</u>, hereinafter referred to as "Petitioner". The Board finds that in order that Petitioner may carry out its corporate objects and powers, it is necessary for it to lay, construct, operate and maintain pipelines across certain county roads situated in Hockley County, Texas, as set forth in the Petitioner's application filed herein.

THEREFORE, IT IS HEREBY ORDERED that, subject to the conditions herein after set forth, said Petitioner, <u>CENTURION PIPELINE LP</u>, is hereby granted permission and authority to lay, construct, operate and maintain pipelines across certain county roads at the locations set forth in Exhibits "A" and "B" attached to the application of Petitioner herein, which Exhibits "A" and "B" and application are hereby made a part of this order as fully as if set out in length herein provided.

- 1. The Petitioner shall, in constructing said pipelines undercrossings cause the very minimum of inconvenience and obstruction of public travel along said roads, and, further, shall operate and maintain said pipelines undercrossings in a manner so as not to inconvenience, endanger or obstruct public travel along said roads.
- 2. Upon the completion of each pipelines undercrossing constructed hereunder Petitioner shall immediately backfill, re-construct and replace the portions of the roads across which said pipelines are laid and constructed so that such roads shall be in equally as good a condition as prior to such construction.
- 3. So long as said pipelines are maintained and operated under said roads Petitioner shall be responsible for doing any work which, due to the existence of said pipelines undercrossings, needs to be done on said roads at the location thereof, all in order to maintain said roads, at such points, in a condition equal to other portions of said county roads.
- 4. Should Petitioner remove said pipelines from any of said roads, it will replace and recondition the road concerned, at the location of said removal, in substantially the same condition as it was prior to such removal, all liability of Petitioner for the maintenance and reconditioning of such roads shall cease as soon after such removal as the COUNTY OF HOCKLEY has approved the maintenance and reconditioning work done by Petitioner.
- 5. Petitioner agrees that if at any time the County of Hockley shall deem it necessary to make any improvements or changes on all of or any part of the right of way of the county roads which affect the Utility as located under this order, then and in such event, the Petitioner or his Assignee shall make such reasonable changes of its facilities located within such right of way as may be deemed necessary, such work to be done without cost to Hockley County, Texas.
- 6. The construction or laying of said pipelines by Petitioner hereunder shall be considered and shall constitute and acceptance of this order and of all of the terms and conditions herein set forth.
- 7. Petitioner agrees that if at any time the County of Hockley deems it necessary that these crossings be encased in accordance with the then existing State Highway specifications, Petitioner agrees to do so at its own expense.

County Judge

Commissioner, Precinct No.

ommissioner, Precinct No. 2

Date

Commissioner, Precinct No. 3

Commissioner, Precinct No. 4

There being no further business to come before the Court, the Judge declared Court adjourned, subject to call.

The foregoing Minutes of a Commissioners' Court meeting held on the $\frac{1}{2}$	
day of OCTOOP	_, A. D. 2017, was examined by me and approved.
•	
Commissioner, Precinct No. 1	Commissioner Precinct No. 3
Commissioner, Precinct No. 2	Commissioner Precinct No. 4

Sharla Baldridge
County Judge

IRENE GUMULA, County/Clerk, and
Ex-Officio Clerk of Commissioners' Court
Hockley County, Texas



VOL. 65 PAGE 817